



2 Port USB 2.0 Over Ethernet USB Device Server



USB Over Network | +12V DC Input | Overcurrent Protection | Surface Mountable | 480 Mbps | LED Indicators

Model No. AnyplaceUSB-S2



[View more images here >](#)

- **USB Over IP:** Connect your USB device to the USB over IP server and it can be shared and accessed by any computer over a wired or wireless network from anyplace in the world. Check port and network status with built in LED indicators.
- **Data Encryption:** The AnyplaceUSB software program offers password authorization and traffic encryption for data security and safety.
- **High Speeds:** Share and access 2 USB 2.0 high-speed isochronous USB devices over IP, LAN, WAN, VLAN, VPN, and the Internet from any remote locations.
- **Upstream:** 1 RJ45 connector
- **Downstream:** 2 USB ports, Type A connectors
- **Power Connector:** AC Adapter Included
- **Mounting Options:** Wall & Surface
- **Overcurrent Protection:** 500mA

Interested? LEARN MORE →

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ **1-727-209-1300** (Local) ✉ **expert@coolgear.com**



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)



Environmental	Operating Temperature	0°C to 55°C (32°F to 131°F)
	Storage Temperature	-20 to 75°C (-4 to 167°F)
	Humidity	5% ~ 95% (non-condensing)
Performance	Max Data Transfer Rate	480Mbps
	Over Current Protection	Y
Hardware	LED Indicators	Network, Port Status, Power, System Status
Product Information	Warranty	1 year from date of purchase
	Input Voltage	+12V DC
Power	Over Current Protection	Y
	Power Source	AC Adapter Included
	Adapter Input Current	0.4A
	Adapter Input Voltage	110~240V AC
	Adapter Output Current	1A
	Adapter Output Voltage	12V DC
Software	OS Support	Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8
What's in the Box	Package Contents	Hub, Power Adapter
USB	USB Type	USB 2.0
	Downstream USB Ports	2 Type-A Female USB
	Color	Gray
Mechanical	Item Dimensions (L × W × H)	4.00 × 3.79 × 1.18 in.
	Item Weight	0.206 lbs.
	Mounting Style	Surface / Wall Mount
	UPC	045079162167
Other Data	Series	NWS-UH (Networking Series Hubs)
	Weight	0.81875 lbs
	Dimensions	11.28 × 5.781 × 2.437 in

Ready to Buy? Let's get to work!

[Purchase order](#) lets set you up.

[Online with Credit card](#) Orders shipped same day!

*orders placed prior to 3:30pm EST

 [1-888-688-2188 \(Toll free\)](tel:1-888-688-2188)

 sales@coolgear.com