

4 Port Managed USB 3.2 Gen 1 Hub w/ 15kV ESD Surge Protection & Vertical Port Orientation



Industrial Grade | +7~48V DC Input | Surface Mountable | DIN Rail | 5 Gbps | Screw Lock

Model No. CG-4PU3MGDv2









<u>View more</u> <u>images here ></u>

- Advanced Protection: The 4-port USB 3.2 Gen 1 hub protects your device with advanced ESD protection. Built-in 15kV ESD surge protection offers you security and assurance that your connected devices will be protected.
- Super Fast Speeds: This USB hub is 3.2 Gen 1 compliant, ensuring super-fast 5Gbps data transfer speeds. It supports super speed, high speed and full speed which enables it to be compatible with USB 2.0 / 1.1.
- Port Management Software: Control each individual ports' status, turn bus power on/off, and even reset the entire hub through the hub's management software which supports Windows, Mac, and Linux operating systems
- Upstream: 1 USB port, Type B connector, Screw-lock type
- Downstream: 4 USB ports, Type A connectors, Screw-lock type
- **LED Indicators:** 4 LEDs for each downstream port to indicate the current bus
- Mounting Options: Wall, Surface, and DIN Rail
- Supply Current: 1.5A max per channel

Interested? LEARN MORE >

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

¹ 1-727-209-1300 (Local) **expert@coolgear.com**



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Operating Temperature 0°C to 60°C (32 to 140°F) **Storage Temperature** -20 to 75°C (-4 to 167°F) **Environmental**

Humidity 5% ~ 95% (non-condensing)

Altitude Up to 2000m

ESD Protection 15KV Surge Protection for Each Port

Max Data Transfer Rate Performance 5Gbps

> **Over Current Protection** Υ

Chipset GL 3523

Apple 2.4A, BC 1.2, Charging Downstream Port (CDP), **Charging Protocols**

Dedicated Charging Port (DCP), Samsung **Hardware**

> **LED Indicators** Port Status, Power

Per USB Port Current 3A

Product Warranty **Information**

1 year from date of purchase

Input Voltage +7~48V DC

Over Current Protection Y

2-Pin Terminal Block, AC Adapter Not Included, DC Barrel **Power Power Source**

Idle Consumption 1.26mA @ 12V Terminal Power

External Power Required Yes

OS Support Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8

cusba: ARM Based Linux Controller Utility. CUSBC: Windows **Software Managing Software**

Utilities

Console Command Control Utility, cusbi: Intel x86-64 Based

Linux Control Utility, USBCTL: Windows GUI

2-Pin Terminal Block, DIN Rail Clip(s), Hub, Screw Pack, USB-What's in the Box Package Contents

A to Screw Lock USB-B Cable

USB Type USB 3.2 Gen 1

Upstream USB Ports 1 Type-B Female USB

> **Downstream USB Ports** 4 Type-A Female USB

Screw Lock Compatible Yes Color Black

Item Dimensions (L × W ×

6.5 x 2.25 x 1.25 in. H)

Mechanical **Item Weight** 0.569 lbs

> **Mounting Style** Surface / Wall Mount, Din-Rail Mount

> > 1.05 lbs

Material of Construction Galvanized Steel

Country of Origin Taiwan Compliance Certifications **RoHS**

> **UPC** 045079163485

Series MDS-UH (Managed Hub Series)

Other Data Weight

> **Dimensions** 9.649 × 6.655 × 2.249 in

USB

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

1-888-688-2188 (Toll free)

sales@coolgear.com