

4 Port USB 2.0 Mini High-Power Hub w/ Port Status LEDs



Industrial Grade | +5V DC Input | Surface Mountable | 480 Mbps | LED Indicators

Model No. USBG-4PUSB2-MH





- **High Speeds:** This USB hub is 2.0 compliant, ensuring fast 480Mbps data transfer speeds. It supports high speed and full speed which enables it to be compatible with USB 1.1.
- Small-Scale Quality: Housed in a compact steel chassis with built in mountable flanges, the 4-port hub is perfect for discreet installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- Check Your Ports' Status: Quickly check the status of each port individually with built in LED indicators.
- Upstream: 1 USB port, Mini Type B connector
- **Downstream:** 4 USB ports, Type A connectors
- Power Connector: DC Barrel 1.3mm ID × 3.5mm OD Center Pin Positive
- Mounting Options: Wall & Surface
- Supply Current: 900mA USB Bus Power for Each Downstream Port

Interested? LEARN MORE >

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

1-727-209-1300 (Local) expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Operating Temperature -5°C to 45°C (23°F to 113°F) **Environmental Storage Temperature** -10°C to 60°C (14°F to 140°F)

Humidity

5% ~ 95% (non-condensing)

Max Data Transfer Rate 480Mbps **Performance**

Over Current Protection Y

FE1.1s Chipset

Hardware **LED Indicators** Port Status, Power

> **Per USB Port Current** 900mA maximum

Product

Warranty 1 year from date of purchase Information

> **Input Voltage** +5V DC

Over Current Protection Y

Power Source AC Adapter Included, DC Barrel Jack 1.3mm ID × 3.5mm OD

10.77mA Bus Powered **Idle Consumption**

Adapter Input Current 0.45A **Power**

> 100~240V AC **Adapter Input Voltage**

Adapter Output Current 4A Adapter Output Voltage 5V DC **External Power Required** No

Software OS Support Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8

What's in the Box Package Contents Hub, Power Adapter, USB-A to Mini USB-B Cable

> **USB Type USB 2.0**

USB Upstream USB Ports 1 Mini Type-B Female USB

> **Downstream USB Ports** 4 Type-A Female USB

Color **Black**

Item Dimensions (L × W ×

H)

 $4.80 \times 1.70 \times 0.80$ in.

Item Weight 0.238 lbs. Mechanical

> Surface / Wall Mount **Mounting Style**

Ports 4 USB Ports

Material of Construction Steel

Country of Origin China Compliance

Certifications REACH, RoHS

Connector USB Mini-B, USB Type-A Female

UPC 736983900920

Other Data **Series** WKS-UH (Workstation Series Hubs)

> Weight .331 lbs

Dimensions $3.750 \times 2.50 \times 3.750$ in Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

1-888-688-2188 (Toll free)

sales@coolgear.com