



6 Port USB 3.2 Gen 1 Over IP Network Device Sharing Type-C Hub w/ Port Status LEDs



Industrial Grade | +9~30V DC Input | Surface Mountable | DIN Rail | 5 Gbps | LED Indicators

Model No. ANYPLACEUSB-H6C



- **Network Device Sharing:** USB devices connected to the 6-Port USB 3.2 Gen 1 Over IP Network Type-C Hub can be made available to remote clients over LAN. The USB 3.2 Gen 1 Over IP Network 6-Port Type-C Hub shares USB devices over the TCP/IP network.
- **Super Fast Speeds:** This USB hub is 3.2 Gen 1 compliant, ensuring super-fast 5Gbps data transfer speeds. It supports super speed, high speed and full speed which enables it to be compatible with USB 2.0 / 1.1.
- **Superior Build Quality:** Housed in a rugged steel chassis with optional mountable flanges, the 6-port Type-C hub is perfect for installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- **Upstream:** 1 USB port, Type B connector
- **Downstream:** 4 USB ports, Type A connectors, 2 USB ports, Type C connectors
- **Power Connector:** 2-Pin Terminal Block
- **Mounting Options:** Wall, Surface, & DIN Rail
- **Supply Current:** 900mA USB Bus Power for Each Downstream Port

Interested? [LEARN MORE →](#)

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This

Coolgear | Charging & Connectivity Experts
www.coolgear.com

Visit coolgear.com/support for any questions & inquiries.

means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)




Environmental	Operating Temperature	0°C to 45°C
	Storage Temperature	-20°C to 70°C
	Humidity	0% ~ 90% (non-condensing)
Performance	Max Data Transfer Rate	5Gbps
Hardware	LED Indicators	?
	Per USB Port Current	900mA maximum
Product Information	Warranty	1 year from date of purchase
	Input Voltage	+9~30V DC
Power	Power Source	2-Pin Terminal Block, AC Adapter Not Included
	External Power Required	No
Software	OS Support	Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8
What's in the Box	Package Contents	2-Pin Terminal Block, Hub, Mounting Plate, Screw Pack, USB-A to USB-B Cable
USB	USB Type	USB 3.2 Gen 1
	Upstream USB Ports	1 Type-B Female USB
	Downstream USB Ports	2 Type-C Female USB, 4 Type-A Female USB
	Color	Black, Green
Mechanical	Item Dimensions (L × W × H)	4.87 × 2.65 × 1.22 in.
	Item Weight	0.6 lbs.
	Mounting Style	Desktop, Surface / Wall Mount
	Ports	6 USB Ports
	Material of Construction	Galvanized Steel
Compliance	Country of Origin	Taiwan
	Certifications	CE , FCC
	UPC	045079162754
Other Data	Series	NWS-UH (Networking Series Hubs)
	Weight	1.1 lbs
	Dimensions	6.25 × 5 × 2.25 in

Ready to Buy? Let's get to work!

[Purchase order](#) lets set you up.

[Online with Credit card](#) Orders shipped same day!

*orders placed prior to 3:30pm EST

 [1-888-688-2188](tel:1-888-688-2188) (Toll free)

 sales@coolgear.com