

# 7 Port USB 3.2 Gen 1 Hub w/ Surge Protection & Screw-Locking Ports



Industrial Grade | +7~24V DC Input | Surge Protection | Surface Mountable | DIN Rail | 5 Gbps | Screw Lock

Model No. USBG-7U3ML





- Protect Your Equipment: The 7-port USB 3.2 Gen 1 features 350 Watts of surge protection to keep your connected peripherals safe from harm.
- Super Fast Speeds: This USB hub is 3.2 Gen 1 compliant, ensuring super-fast 5Gbps data transfer speeds. It supports super speed, high speed and full speed which enables it to be compatible with USB 2.0 / 1.1.
- Superior Build Quality: Housed in a rugged steel chassis with built in mountable flanges, the 7-port hub is perfect for installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- Upstream: 1 USB port, Type B connector, Screw-lock type
- Downstream: 7 USB ports, Type A connectors, Screw-lock type
- Power Connector: 2-Pin Terminal Block
- Mounting Options: Wall, Surface, and DIN Rail
- **Supply Current:** 1.5A USB Bus Power for Each Downstream Port

Interested? LEARN MORE >

# Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

1-727-209-1300 (Local) expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

**Within every great machine, lives Coolgear.** - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

**Advanced Engineering** - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

### **PRODUCT SPECIFICATIONS**

### Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Operating Temperature 0°C to 55°C (32°F to 131°F)

**Environmental Storage Temperature** -20°C to 85°C (-4°F to 185°F)

> **Humidity** 5% ~ 95% (non-condensing)

**Max Data Transfer Rate** 5Gbps **Performance** 

**Surge Protection** 350W

Chipset GL 3523

Apple 2.4A, Charging Downstream Port (CDP), Dedicated **Charging Protocols Hardware** 

Charging Port (DCP)

**LED Indicators** Power **Per USB Port Current** 1.5 Amp

**Product** 

1 year from date of purchase Warranty Information

> +7~24V DC **Input Voltage**

**Power Power Source** 2-Pin Terminal Block, AC Adapter Not Included

Max Wattage

**Software OS Support** Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8

2-Pin Terminal Block, DIN Rail Clip(s), Hub, Screw Lock USB-A What's in the Box Package Contents

to Screw Lock USB-B Cable, Screw Pack

**USB Type** USB 3.2 Gen 1

**Upstream USB Ports** 1 Type-B Female USB **USB** 

**Downstream USB Ports** 7 Type-A Female USB

**Screw Lock Compatible** Yes Color Black

Item Dimensions (L × W ×

6.37 × 2.60 × 1.42 in. H)

**Item Weight** 0.775 lbs. Mechanical

> **Mounting Style** Surface / Wall Mount, Din-Rail Mount

**Ports** 7 USB Ports Material of Construction Galvanized Steel

**Country of Origin** Taiwan Compliance

Certifications REACH, RoHS

**UPC** 729440691479

**Series** DRS-UH (DIN-Rail Series Hubs) **Other Data** 

Weight 1.200 lbs

**Dimensions**  $11.25 \times 6.25 \times 2.00$  in

## Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

1-888-688-2188 (Toll free)