



8-Port Terminal Block RS232/422/485 to USB Adp - ISO/Surge Protection



RS232 to USB Adapter with Terminal Block

Model No. SA-8PX-IS



SA-8PX-IS Rugged 8-Port Terminal Block RS-232, RS-422, RS-485 USB 2.0 to Serial Converter is an ideal expansion adapter with an industrial grade metal chassis and supporting upstream USB type "B" screw lock mechanism to prevent accidental disconnect.

- Terminal Block connections for RS232/RS422/RS485 serial signal.
- Operates from host USB port of computer.
- 128-byte deep FIFO per transmitter and receivers.
- Supports USB type-B up-stream connection from the serial adapter.

Interested? [LEARN MORE →](#)



[View more
images here >](#)

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

Coolgear | Charging & Connectivity Experts
www.coolgear.com

Visit coolgear.com/support for any questions & inquiries.

PRODUCT SPECIFICATIONS

Looking for product documentation?
[View CAD Models, Data sheet and Drawings here >](#)




Environmental	Operating Temperature	0C to 55C
Software	OS Support	Win-2000, Linux, Win 10, Win 7, Win 8, Win Vista, Win XP
Serial Attributes	Serial Standards	RS232, RS422, RS485
USB	USB Type	USB 2.0
	Color	Black
Mechanical	Mounting Style	Surface Mount
	Ports	8 Serial Ports
	Country of Origin	Taiwan
Compliance	Certifications	CE , FCC
	Compliance	RoHS, TAA
	Connector	Terminal Block
Other Data	Warranty	1 year from date of purchase.
	Weight	2 lbs
	Dimensions	9.37 × 9.68 × 0.91 in

Ready to Buy? Let's get to work!

[Purchase order](#) lets set you up.

[Online with Credit card](#) Orders shipped same day!

*orders placed prior to 3:30pm EST

 [1-888-688-2188](tel:1-888-688-2188) (Toll free)

 sales@coolgear.com