

4 Port USB 2.0 Powered Hub w/ Port Status LEDs & Screw Locking Ports



Industrial Grade | +5V DC Input | Surface Mountable | 480 Mbps | Screw Lock

Model No. USBG-4SU2MLA



- High Speeds: This USB hub is 2.0 compliant, ensuring fast 480Mbps data transfer speeds. It supports high speed and full speed which enables it to be compatible with USB 1.1.
- Superior Build Quality: Housed in a rugged steel chassis with built in mountable flanges, the 4-port hub is perfect for installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- Power Your Way: The 4-port hub works in either buspowered mode or self-powered mode with the included power adapter.
- Upstream: 1 USB port, Type B connector, Screw-lock type
- Downstream: 4 USB ports, Type A connectors, Screw-lock
- Power Connector: DC Barrel Jack
- Mounting Options: Wall & Surface



Interested? LEARN MORE >

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

¹ 1-727-209-1300 (Local) **expert@coolgear.com**



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solutionoriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us. We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Operating Temperature 0°C to 55°C (32°F to 131°F)

Environmental Storage Temperature -20 to 75°C (-4 to 167°F)

Humidity 5% ~ 95% (non-condensing)

Max Data Transfer Rate 480Mbps
Performance

Over Current Protection Y

Chipset NEC D720114

Hardware Charging Protocols

Charging Downstream Port (CDP), Dedicated Charging Port

(DCP)

LED Indicators Port Status, Power

Product Information

Warranty 1 year from date of purchase

Input Voltage +5V DC

Over Current Protection Y

Power Source AC Adapter Included, DC Barrel Jack 2.1mm ID x 5.5mm OD

Idle Consumption 21.5mA Bus Powered, 22mA @ 5V Barrel Power

Power Adapter Input Current 0.3A

Adapter Input Voltage 100~240V AC

Adapter Output Current 2A
Adapter Output Voltage 5V DC
External Power Required No

Software OS Support Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8

What's in the Box Package Contents

Hub, Power Adapter, USB-A to Screw Lock USB-B Cable, USB-

A to USB-B Cable

USB Type USB 2.0

Upstream USB Ports 1 Type-B Female USB USB

Downstream USB Ports 4 Type-A Female USB

Screw Lock Compatible Yes

Color Black

Item Dimensions (L × W ×

7.02 × 2.34 × 0.91 in.

Mechanical Item Weight 0.588 lbs.

Mounting Style Surface / Wall Mount

Ports 4 USB Ports

Material of Construction Galvanized Steel

Country of Origin Taiwan Compliance

Certifications REACH, TAA Hubs, RoHS

UPC 736983900395

Series WKS-UH (Workstation Series Hubs)
Other Data

Weight1.5 lbsDimensions $11 \times 6 \times 2$ in

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

1-888-688-2188 (Toll free)

sales@coolgear.com