



4 Port USB 2.0 Powered Hub w/ Port Status LEDs & Screw Locking Ports



Industrial Grade | +5V DC Input | Surface Mountable | 480 Mbps | Screw Lock

Model No. USBG-4SU2MLA



[View more images here >](#)

- **High Speeds:** This USB hub is 2.0 compliant, ensuring fast 480Mbps data transfer speeds. It supports high speed and full speed which enables it to be compatible with USB 1.1.
- **Superior Build Quality:** Housed in a rugged steel chassis with built in mountable flanges, the 4-port hub is perfect for installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- **Power Your Way:** The 4-port hub works in either bus-powered mode or self-powered mode with the included power adapter.
- **Upstream:** 1 USB port, Type B connector, Screw-lock type
- **Downstream:** 4 USB ports, Type A connectors, Screw-lock type
- **Power Connector:** DC Barrel Jack
- **Mounting Options:** Wall & Surface

Interested? LEARN MORE →

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)



Environmental	Operating Temperature	0°C to 55°C (32°F to 131°F)
	Storage Temperature	-20 to 75°C (-4 to 167°F)
	Humidity	5% ~ 95% (non-condensing)
Performance	Max Data Transfer Rate	480Mbps
	Over Current Protection	Y
	Chipset	NEC D720114
Hardware	Charging Protocols	Charging Downstream Port (CDP), Dedicated Charging Port (DCP)
	LED Indicators	Port Status, Power
Product Information	Warranty	1 year from date of purchase
	Input Voltage	+5V DC
Power	Over Current Protection	Y
	Power Source	AC Adapter Included, DC Barrel Jack 2.1mm ID x 5.5mm OD
	Idle Consumption	21.5mA Bus Powered, 22mA @ 5V Barrel Power
	Adapter Input Current	0.3A
	Adapter Input Voltage	100~240V AC
	Adapter Output Current	2A
	Adapter Output Voltage	5V DC
	External Power Required	No
Software	OS Support	Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8
What's in the Box	Package Contents	Hub, Power Adapter, USB-A to Screw Lock USB-B Cable, USB-A to USB-B Cable
	USB Type	USB 2.0
USB	Upstream USB Ports	1 Type-B Female USB
	Downstream USB Ports	4 Type-A Female USB
	Screw Lock Compatible	Yes
Mechanical	Color	Black
	Item Dimensions (L x W x H)	7.02 x 2.34 x 0.91 in.
	Item Weight	0.588 lbs.
	Mounting Style	Surface / Wall Mount
	Ports	4 USB Ports
Compliance	Material of Construction	Galvanized Steel
	Country of Origin	Taiwan
	Certifications	REACH , TAA Hubs , RoHS
	UPC	736983900395
Other Data	Series	WKS-UH (Workstation Series Hubs)
	Weight	1.5 lbs
	Dimensions	11 x 6 x 2 in

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

📞 **1-888-688-2188 (Toll free)**

✉ **sales@coolgear.com**