

4 Port USB 3.2 Gen 2 Type-C Hub w/ ESD Surge Protection & LED Indicators



Industrial Grade | +7~24V DC Input | Surge Protection | Surface Mountable | 10 Gbps | Screw Lock

Model No. CG-4P31CHUB-M





- **Protect Your Equipment:** The 4-port Type-C hub supports 15KV ESD surge protection for each port to keep your connected peripherals safe from harm.
- Super Fast Speeds: This USB hub is 3.2 Gen 2 compliant, ensuring super-fast + 10Gbps data transfer speeds. It supports super speed plus, super speed, high speed and full speed which enables it to be compatible with USB 3.2 Gen 1 / 2.0 / 1.1.
- Superior Build Quality: Housed in a rugged steel chassis with built in mountable flanges, the 4-port hub is perfect for workstations installations in offices, labs, warehouses, and other industrial applications.
- Upstream: 1 USB-C port, Screw-lock type
- Downstream: 2 USB-A connectors, 2 USB-C port, Screwlock type
- Power Connector: 2-Pin Terminal Block, DC Barrel Jack 2.1mm ID × 5.5mm OD
- Mounting Options: Wall & Surface
- LED Indicators: Power & Port Status

Interested? LEARN MORE >

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

¹ 1-727-209-1300 (Local) **expert@coolgear.com**



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

View CAD Models, Data sheet and Drawings here >



Operating Temperature 0°C to 55°C (32°F to 131°F)

Environmental Storage Temperature -20 to 75°C (-4 to 167°F)

> **Humidity** 5% ~ 95% (non-condensing)

ESD Protection 15KV Surge Protection for Each Port

Max Data Transfer Rate 10Gbps **Performance**

Over Current Protection

Over Voltage Protection Y per buck Chipset VL820-Q8

BC 1.2, Charging Downstream Port (CDP), Dedicated **Charging Protocols** Charging Port (DCP), Standard Downstream Port (SDP)

LED Indicators Port Status, Power

Per USB Port Current 2A

Product Information

Hardware

Warranty 1 year from date of purchase

Input Voltage +7~24V DC

Over Current Protection Y

Over Voltage Protection Y per buck

2-Pin Terminal Block, AC Adapter Included, DC Barrel Jack **Power Source**

2.1mm ID x 5.5mm OD

Idle Consumption 61.16mA Bus Powered **Power**

> **Adapter Input Current** 1A

Adapter Input Voltage 100~240V AC

Adapter Output Current 3A Adapter Output Voltage 12V DC External Power Required No

Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8 **Software OS Support**

2-Pin Terminal Block, Hub, Power Adapter, USB-C to Screw What's in the Box Package Contents

Lock USB-C Cable

USB Type USB 3.2 Gen 2

Upstream USB Ports 1 Type-C Female USB **USB**

Downstream USB Ports 2 Type-A Female USB, 2 Type-C Female USB

5.98 x 2.35 x 0.93 in.

Screw Lock Compatible Yes Color Black

Item Dimensions (L × W ×

Item Weight 0.6 lbs. Mechanical

> **Mounting Style** Surface / Wall Mount

4 USB Ports **Ports** Material of Construction Galvanized Steel

Country of Origin Taiwan Compliance

Certifications **RoHS** **UPC** 045079162853

Other Data

Series
WKS-UH (Workstation Series Hubs)

Weight 1.5125 lbs

Dimensions $9.6 \times 6.7 \times 2.352 \text{ in}$

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

1-888-688-2188 (Toll free)

sales@coolgear.com