



4 Port USB 3.2 Gen 1 Mini Powered Hub w/ ESD Surge Protection



Industrial Grade | +5V DC Input | Surge Protection | Surface Mountable | 5 Gbps

Model No. CG-U3MINI4P-BPH



[View more images here >](#)

- **Protect Your Equipment:** The 4-port hub features 15kV ESD surge protection to keep your connected peripherals safe from harm.
- **Super Fast Speeds:** This USB hub is 3.2 Gen 1 compliant, ensuring super-fast 5Gbps data transfer speeds. It supports super speed, high speed and full speed which enables it to be compatible with USB 2.0 / 1.1.
- **Small-Scale Quality:** Housed in a compact steel chassis, the 4-port hub is perfect for discreet installations in offices, labs, warehouses, heavy machinery, automation equipment, and other industrial applications.
- **Upstream:** 1 USB port, Type B connector
- **Downstream:** 4 USB ports, Type A connectors
- **Power Connector:** DC Barrel 2.5mm ID × 5.5mm OD, Center Pin Positive
- **Mounting Options:** Wall & Surface

Interested? LEARN MORE →

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)



Environmental	Operating Temperature	0°C to 55°C (32°F to 131°F)
	Storage Temperature	-20 to 75°C (-4 to 167°F)
	Humidity	5% ~ 95% (non-condensing)
	ESD Protection	15KV Surge Protection for Each Port
Performance	Isolated/Surge Protected	Yes
	Max Data Transfer Rate	5Gbps
	Over Current Protection	Y
	Over Voltage Protection	Y per buck
	Surge Protection	350W
Hardware	Chipset	GL 3510
	Charging Protocols	BC 1.2, Charging Downstream Port (CDP), Dedicated Charging Port (DCP), Samsung, Standard Downstream Port (SDP)
	Warranty	1 year from date of purchase
Power	Input Voltage	+5V DC
	Over Current Protection	Y
	Over Voltage Protection	Y per buck
	Power Source	AC Adapter Not Included, DC Barrel Jack 2.5mm ID × 5.5mm OD
Software	Idle Consumption	57mA @ 5V / 35.6mA Bus Power
	External Power Required	No
	OS Support	Win 11, Linux, Mac OSX, Win 10, Win 7, Win 8
What's in the Box	Package Contents	Hub, USB-A to USB-B Cable
	USB Type	USB 3.2 Gen 1
	Upstream USB Ports	1 Type-B Female USB
	Downstream USB Ports	4 Type-A Female USB
USB	Isolated/Surge Protected	Yes
	Color	Black
	Item Dimensions (L × W × H)	2.87 (3.81 with flanges) × 1.86 × 1.13 in.
	Item Weight	0.32 lbs.
	Mounting Style	Surface / Wall Mount
Mechanical	Ports	4 USB Ports
	Material of Construction	Galvanized Steel
	Country of Origin	Taiwan
	Certifications	RoHS
Compliance	UPC	045079163300
	Series	WKS-UH (Workstation Series Hubs)
	Weight	0.75 lbs
Other Data	Dimensions	5.25 × 4.50 × 1.50 in

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

📞 **1-888-688-2188 (Toll free)**

✉ **sales@coolgear.com**