



# Coolgear Labs V2 Mini PoE to USB Type C Adapter 25 watt output All-in-One Now works with Tablets, Laptops, and NEST CAM IQ, IEEE802.3af compliant



Model No. CG-POE15VPDv2



Coolgear's newest USB Type-C PoE adapter works with a Cat5/6 cable from a PoE injector connected to its RJ45 port. This extends the length of power to the Nest Cam Indoor or Nest Cam Outdoor by up to 100 meters from a power source. Use the Type-C USB port to connect your Nest Cam, Laptop, Tablet, Phone, Sensor, or other USB-C device.

- Utilizes a PoE injector for power.
- Isolated POE Active DC-DC adapter to power up USB type C devices
- Specifically designed for use with any USB Power Delivery (PD) Device
- Overload & short-circuit protection.
- Fully IEEE802.3at and IEEE802.3af compliant PoE.

**Interested? LEARN MORE →**



[View more  
images here >](#)

## Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ [expert@coolgear.com](mailto:expert@coolgear.com)



**We Speak Your Speak** - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

**We're Ready For Integration, Every Time.** - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

**Within every great machine, lives Coolgear.** - At Coolgear, we're just as passionate about building

great products as you are. That's why we aim to meet or exceed your build specs every time.,

Coolgear | Charging & Connectivity Experts  
[www.coolgear.com](http://www.coolgear.com)

Visit [coolgear.com/support](http://coolgear.com/support) for any questions & inquiries.

**Advanced Engineering** - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

# PRODUCT SPECIFICATIONS

Looking for product documentation?  
[View CAD Models, Data sheet and Drawings here >](#)



|                    |                             |                        |
|--------------------|-----------------------------|------------------------|
| Environmental      | Operating Temperature       | 10 to 60C              |
|                    | Isolated/Surge Protected    | Y                      |
| Performance        | Over Current Protection     | Y                      |
|                    | Over Voltage Protection     | Y                      |
| Power              | Over Current Protection     | Y                      |
|                    | Over Voltage Protection     | Y                      |
| PD Profile Support | Voltage Profiles            | 20V, 5V, 15V, 9V, 12V  |
| USB                | Isolated/Surge Protected    | Y                      |
|                    | Color                       | White                  |
| Mechanical         | Item Dimensions (L x W x H) | 2.52 x 1.14 x 0.98 in. |
|                    | UPC                         | 045079161108           |
| Other Data         | Weight                      | 0.038 lbs              |
|                    | Dimensions                  | 2.52 x 1.14 x 0.98 in  |

## Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

\*orders placed prior to 3:30pm EST

 [1-888-688-2188 \(Toll free\)](tel:1-888-688-2188)

 [sales@coolgear.com](mailto:sales@coolgear.com)