



USB to CAN Bus Adapter with Galvanic Isolation in Metal Case



USB to CAN Bus Adapter with Galvanic Isolation

Model No. CG-1PMGICAN



If you're using CAN Bus, this USB to CAN Bus adapter is for you. Built small for single port operations, this CAN Bus adapter employs galvanic isolation to catch stray signal noise produced by current. Operates with a DB9 and USB Type-B connector, no additional power source is needed.

- 2500V galvanic isolation, +/- 16kV ESD protection.
- 512 bytes transmit/receive FIFO buffer for high speed data throughput.
- Supports CAN 2.0A and CAN 2.0B protocols.
- CAN Bus Controller: Bosch C_CAN module

Interested? [LEARN MORE](#)



[View more images here >](#)

Questions? Speak to an engineering expert today!

Our on site engineers are ready to help you with your build.

☎ [1-727-209-1300](tel:1-727-209-1300) (Local) ✉ expert@coolgear.com



We Speak Your Speak - When you reach out to our support, you'll find yourself in the hands of a solution-oriented, knowledgeable expert ready to answer whatever question you throw at them. Go ahead, test us.

We're Ready For Integration, Every Time. - Coolgear streamlines the task of selecting charging and connectivity products. For over 20 years our rugged, off-the-shelf USB hubs and serial products are ready to go for your next project.

Within every great machine, lives Coolgear. - At Coolgear, we're just as passionate about building great products as you are. That's why we aim to meet or exceed your build specs every time.,

Advanced Engineering - Coolgear painstakingly sources high-quality components, oversees all manufacturing methods, and conducts rigorous testing to ensure all our products are industrial-grade. This means greater duty cycle, zero data loss, and longer lasting builds. We promise.,

PRODUCT SPECIFICATIONS

Looking for product documentation?

[View CAD Models, Data sheet and Drawings here >](#)




Environmental	Operating Temperature	0 to 60C
Performance	Isolated/Surge Protected	Yes
Hardware	Chipset	ARM Cortex-M0 32-bit microcontroller
Power	Input Voltage	+5V DC
	Adapter Power	USB Bus Powered
Software	OS Support	Linux, Mac OSX, Win 10, Win 7, Win 8, Win 8.1, Win XP
USB	USB Type	USB 2.0
	Isolated/Surge Protected	Yes
	Supported Data Speed	5kbps to 1Mbps for transmit & receive
	Color	Black
Mechanical	Item Dimensions (L x W x H)	61 x 50 x 23mm (LxWxH)
	Item Weight	0.219 lbs.
	Ports	1 Serial Port
	Connector	DB9 Male
Other Data	UPC	045079161146
	Weight	0.493 lbs
	Dimensions	4.062 x 5.00 x 2.50 in

Ready to Buy? Let's get to work!

Purchase order lets set you up.

Online with Credit card Orders shipped same day!

*orders placed prior to 3:30pm EST

 **1-888-688-2188 (Toll free)**

 **sales@coolgear.com**