



## Technical Data Sheet

# USB 3.2 Gen 1 7-Port Industrial Hub Metal Case Din-Rail GL Chip 1.5Amp Output

Model Number: USBG-7U3ML

Rev 04.210514



USB 3.2 Gen 1 7-Port hub with built-in single chip USB 3.2 Gen 1 controller and provides an unique feature to work in the bus-powered mode without an external AC power adapter. The external DC jack is used for self-powered mode if you need more power on the 7 downstream ports.

### Features

- Uses Screw Lock USB 3.0 cables for secure connections.
- DIN-Rail Mounting Kit for use with DIN-Rail applications
- USB 3.0 Compliant with up to 5Gbps data transfer speeds
- Adds 7 Downstream USB 3.0 Data Ports backward compatible with USB 2.0/1.1 speeds.
- Voltage range is +7V to 24V DC input

### Product Information

- Model Number: USBG-7U3ML
- Packing List:
  - DIN rail bracket, Hub, USB Cable, User Manual

**Specifications****OVERVIEW**

Product Type	USB Hub
Electrical Protections	±15kV (air), ±8kV (contact) ESD Protection
Mountable	Din-Rail, Surface Mount
Material	Steel
Compliance	RoHS, TAA
LED indicators	None or N/A

**CONNECTIONS**

USB Specification	USB 3.2 Gen 1
Maximum Data Rate	5Gb/sec
Downstream Port Count	7
Downstream Port Type	7x Type A USB 3.2 G1 / 3.0
Works as Standalone Charger	

**Power**

Input Voltage	7 ~ 24V DC
---------------	------------

**Specifications Cont.****ENVIRONMENTAL**

Operating Temperature	0C ~ 55C
Operating Humidity	5% to 95% RH
Storage Temperature	-20C ~ 75C
Country of Origin	Taiwan

**PHYSICAL**

Ship Weight	2 lbs
Length	5.66 inches
Width	2.6 inches
Height	1.42 inches

**OS SUPPORT**

Supported Operating Systems	OS independent; No software or drivers required
-----------------------------	---

**WARRANTY**

Warranty Period	1 Year
-----------------	--------

**PRODUCT URL**

USBG-7U3ML Product Page	<a href="https://www.coolgear.com/product/7-port-usb-3-hub-with-din-rail-mount">https://www.coolgear.com/product/7-port-usb-3-hub-with-din-rail-mount</a>
-------------------------	---